INDEX

Abbott, W. S., 493
Acerophagus pallidus, 552
Acrobasis caryae, 791
Aedes atlanticus, 786
  dorsalis, 834
  idahoensis, 834
  inornatus, 834
  spp., 780
  taeniorhynchus, 786
  vexans, 786
Agrilus bilineatus, 392
Agrotis orthogonia, 421, 425
Airplane dusting, 590
Ataenius cognatus, 666
Aldis, R. W., 652
Aleurocanthus woglumi, 513
Alfalfa snout beetle, 417
Alfonsus, E. C., 568
Allen, P. B., 248
Allen, T. C., 496
Allinger, H. W., 590
Alsophila pometaria, 391
Aluminum sulfate, 728
American Association of Economic Entomologists
  Business proceedings, 2
  By-Laws, 28
  Central States Entomologists, 50
  Committees, x
  Cotton States Branch, 53
  Eastern Branch, 47, 143
  Entomological Society of Ontario, 49
  Executive Committee, 15
  Journal policy, 18
  Members, xi
  Membership, 26
  Nominations, 29
  Officers, ix
  Pacific Slope Branch, 47
  Proceedings, 1
  Resolutions, 23, 24, 145
  Secretary's report, 12
  Texas Entomological Society, 52
American Biological Council, 5
americana, Cochliomyia, 472, 648, 765, 772, 777, 835
  Malacosoma, 391
Anarsia lineatella, 1002
Anastatus semiflavidus, 917
Anastrepha ludens, 512
Ancylis comptana, 388, 649
ancylivorus, Macrocentrus, 204
Anderson, L. D., 603
Anderson, W. H., 675
Andre, Floyd, 695
Andricus aquaticae, 87
  clavigerus, 87
  cornigerus, 87
  destructor, 88
  floridensis, 87
  gemmarius, 87
  perdens, 88
  punctatus, 87
angelicus, Pseudaphycus, 552
Anopheles crucians, 780, 786
Anthonomus grandis, 760
antiqua, Hylemyia, 70, 453
Anuraphis maidi-radicis, 756
  roseus, 379
Aonidiella aurantii, 965
Apanteles congregatus, 65
Aphis gossypii, 65
  pomi, 382
  pseudobrassicae, 64
Aphytis mytilaspidis, 1044
Apiculture section, 553
Apple aphid, grain, 379
    green, 379
    rosy, 379
  fruit fly, 198
  insects, 698
  leafhopper, 385
  maggot, 184, 504
  tent caterpillar, 391
approximatus, Pissodes, 393
aquaticae, Andricus, 87
Arbor vitae leaf miner, 397
argyrospila, Cacoecia, 377, 1021
Arsenate, 229
Arsenical substitutes, 292, 602, 603, 605, 607, 615
Ascogaster carpocapsae, 113
Ash sawfly, 208
aspersa, Helix, 904
asperus, Hyperplatys, 727
Aspidiotiphagus citrinus, 1044
Aspidiotus britannicus, 1041
Asynonychus godmani, 248
atlanticus, Aedes, 786
Atomized oil sprays, 496
aurantii, Aonidiella, 965
  Chrysomphalus, 985
Autographa brassicae, 615, 1020
Auxiliary gases, 975

Bacillus para-alvei, 579
Bailey, S. F., 678, 856
Baker, Howard, 681
Balduf, W. V., 1081
balteata, Diabrotica, 618

Barberry eradication, 510
Barré, C. O., 803
Barium fluosilicate, 714
Barnes, O. L., 917
Barrett, R. E., 701
Basinger, A. J., 903
batatas, Neuroterus, 87
Bean leafhopper, 618
  weevil, 448, 796
Beattie, R. K., 528
Becker, W. B., 833, 1061
Bee activity, 553
Beech scale, 393, 514
Bees, airplane dusting, 590
Beeswax, color, 1001
Bell, R. H., 519
bella, Utetheisa, 686
Bergen, H. G., 491, 730
Berry, L. J., 913
Bigger, J. H., 130, 247, 692
bilineatus, Agrilus, 392
Bilsing, S. W., 739
Biotic factors, 873
Bishopp, F. C., 323, 620
Bissell, T. L., 835
bivittatum, Simulium, 1073
Black grain-stem sawfly, 457
Bliss, C. I., 647, 989
Blissus leucopterus, 247, 638, 1025
Blister beetle, striped, 686
Blow fly, 353, 358
Blueberry maggot, 675
Boll weevil, 760
Borden, A. D., 661, 951
botrana, Polychrosis, 512
Bourne, A. I., 837
Boyce, A. M., 864
Brachyrhinus ligustici, 417, 514
Bradley, G. H., 772, 780
Brannon, L. W., 444
brassicae, Autographa, 615, 1020
Breakey, E. P., 353, 358
brevipes, Pseudococcus, 1037
Brigham, W. T., 204
Brindley, T. A., 668
britannicus, Aspidiotus, 1041
Brittain, W. H., 553
Broadbent, B. M., 989
Bronson, T. E., 1030
Broudy, Herman, 249
Brower, A. E., 397
Brown-tail moth, 126
Bruchus, *see also* Mylabris
  obtectus, 448
  pisorum, 668
Brunson, A. M., 1025
Buchanan, W. D., 138
Buckner, R. P., 983
Bulger, J. W., 76
Burdette, R. C., 229, 252
Burnside, C. E., 578
Butler, H. G., 244
buxi, Neotetranychus, 55

Cabbage worms, 615, 714
Cacoecia argyrospila, 377, 1021
  rosaceana, 1047
Calcium arsenate, 250, 960
Caldwell, J. S., 442
californicus, Limonius, 817
Cal. red scale, 965
Calomycterus setarius, 833
Calpodes ethlius, 804
Campbell, F. L., 285
Canker worm, fall, 391
  spring, 392
Carbohydrate diet, 657
Carbon dioxide, 924
Carman, G. E., 638
Carpocapsa pomonella, 99, 103, 107, 109, 120, 162, 172, 176, 182, 184, 187, 247, 864
carpocapsae, Ascogaster, 113
Carter, R. H., 829
Carter, Walter, 268, 1037
caryae, Acrobasis, 791
  Curculio, 794
Cattle fly spray, 160
Ceratostomella ulmi, 525, 528
Chambers, E. L., 532
Chapman, P. J., 184, 377
Cherry fruit fly, 205
Chestnut borer, 2-lined, 392
Chinch bug, 247, 333, 410, 414, 638, 1025
Chlorochroa sayii, 906
Chortophaga viridifasciata, 925
Chromaphis juglandicola, 869
Chrysomphalus aurantii, 985
citri, Pseudococcus, 405
  Scirtothrips, 1011
citrinus, Aspidiotiphagus, 1044
Citrus blackfly, 513
  form tent, 983
  pests, 1018
  thrips, 1011
Claasen, P. W., 417
clavigerus, Andricus, 87
Cleveland, C. R., 715
Clothes moths, 493
Clover leaves, 697
Coccus hesperidum, 1047
  viridis, 283
Cochliomyia americana, 472, 648, 765, 772, 777, 835
  macellaria, 648
  cockerelli, Paratrioza, 431
Cockroach, 924
Codling moth, 7, 31, 99, 103, 107, 109, 120, 162, 172, 176, 182, 184, 187, 247, 609, 612, 614, 715, 727, 864, 940, 951, 956, 960, 971

Codling moth bands, 701
trap, 1075
cognatus, Ataenius, 666
Collins, D. L., 99, 103
columbiae, Psorophora, 780
comptana, Ancylus, 388, 649
Compton, C. C., 465
Confused flour beetle, 475, 631, 1049
confusum, Tribolium, 475, 631, 1049
congregatus, Apanteles, 65
Connecticut entomologists, 1078
Cooper, J. F., 220
coriaceus, Ornithodorus, 848, 852
Corn earworm, 647, 815, 833
corn, regulated production, 692
cornigerus, Andricus, 87
corrupta, Epilachna, 147, 444, 629
Cory, E. N., 257, 834
Cotton root aphids, 755
Cotton, R. T., 1049
Cottonseed meal, 835
Cotton states branch, 735
worm in Egypt, 499
Cowpea weevil, 796
Cox, G. A., 113
Cracca virginiana, 707
Crawford, H. G., 314
Crop Protection Institute, 3
Crotalaria insects, 686
crucians, Anopheles, 780, 786
Cryptococcus fagi, 393
Cube products, 1076
Cucumber beetles, 310, 618
Culex quinquefasciatus, 786
salinarius, 786
Culiseta inornata, 786
Curculio caryae, 794
curialis, Xylomyges, 1019
Cutright, C. R., 107
Cutworm control, 130
damage, 428
pale western, 421, 425
Cyllene robiniae, 392
Cynipidae, 86

Dampf, Alfons, 131
Daniel, D. M., 113, 727
Data analysis, 70
Date scale, 505
Davidson, R. H., 250
Davis, A. C., 459
Davis, J. J., 99, 324
Dean, R. W., 377, 504
Dearborn, F. E., 710
delicatus, Macrocentrus, 244
De Long, D. M., 442
Dendroctonus monticola, 688
Derris, 215, 229, 444, 603, 605
Derris products, 1076
destructor, Andricus, 88
devastatrix, Phylloxera, 681
Devil's shoe-string, 707
Dewberry fruit worm, 649
Diabrotica balteata, 615
duodecempunctata, 310
vittata, 310
Diamond, V. R., 714
Diesel oil emulsions, 268
Dietz, H. F., 310
Dirks, C. O., 198
disstria, Malacosoma, 391
Dobroscky, I. D., 627
domestica, Musca, 913
dorsalis, Aedes, 834
Dosage mortality curve, 646
Douglas, W. A., 686
Dove, W. E., 765
Driggers, B. F., 162
Drosophila melanogaster, 989
Dunn, E. P., 1056
duodecempunctata, Diabrotica, 310
Dust mixer, 142
Dutch elm disease, 341, 524

Ebeling, Walter, 729, 965
Eckert, J. E., 590
Economic Entomology, 32
Ectoparasites, 304
Eddy, C. O., 469
Egg-plant flea beetle, 629
Eldred, D. N., 975
Ellenwood, W. W., 545
Ellisor, L. O., 648
Elm bark beetle, 1061
leaf beetle, 392
Emery, W. T., 249
Empoasca fabae, 442, 618, 697, 831, 1072
Emsweller, S. L., 678
Encephalomyelitis, 824
Entomological atmosphere, 739
problems, 123, 131, 139
Entomophagous Coleoptera, 1081
Epicauta lemniscata, 686
Epilachna corrupta, 147, 444, 629
Esters, 940
ethlius, Calpodes, 804
Ethyl acetate, 940
European bark beetle, 833
corn borer, 9, 127, 324, 670
bark beetle, 231, 526
pine shoot moth, 127
Euthrips occidentalis, 856
Exprosopa fasciata, 248
Extension section, 602
Exterminating business, 468
Eyer, J. R., 940

fabae, Empoasca, 442, 618, 697, 831, 1072
fagi, Cryptococcus, 393
Farrar, C. L., 585
Farrar, M. D., 260, 410
fasciata, Exprosopa, 248

fasciatus, Oncopeltes, 696
Felt, E. P., 231, 253, 390, 652, 834, 1081
Fenton, F. A., 760
ferox, Psorophora, 786
Field Book of Insects, 253
  plot technique, 1058
Flanders, S. E., 552, 898
Flint, W. P., 333, 410
floridensis, Andricus, 87
Flower thrips, 1018
Fluke, C. L., 248, 1056
Fluorine compounds, 627
Forest tent caterpillar, 391
Foster, R. E., 578
Foulbrood, American, 597
Fox, Henry, 154
Fracker, S. B., 538
Frankenfeld, J. C., 917
Frankliniella insularis, 856
  moultoni, 857, 1018
Freeborn, S. B., 913
Frost, S. W., 196, 366
Fruit fly, West Indian, 513
  tree leafroller, 377
fuliginosa, Gymnosoma, 910
Fuller's rose beetle, 248
Fulton, R. A., 491, 730

Galerucella xanthomelaena, 392
Galleria mellonella, 576
Garden centipede, 1015
Garman, Philip, 204
Gasterophilus intestinalis, 1065
geminata, Solenopsis, 1038
gemmarius, Andricus, 87
Geuther, H. W., 576
Gibson, Arthur, 123
Ginsburg, J. M., 224, 237, 292
glabratus, Sphaerites, 420
Glasgow, Hugh, 205
Glover, P. M., 652
Glycobius speciosus, 392
Glypta rufiscutellaris, 371
Gnorimoschema lycopersicella, 514
godmani, Asynonychus, 248
gossypiella, Pectinophora, 135, 745
gossypii, Aphis, 65
  Phenacoccus, 399, 405
gracilipes, Histiostoma, 465
Grain bug, 906
grandicollis, Ips, 1021
grandis, Anthonomus, 760
Granett, Philip, 292
Graphium ulmi, 525
Grapholitha molesta, 244, 366, 369, 371
Grasshopper control, 314
  survey, 486
Green stink bug, 686
Greenhouse mealybug, 405
Guyton, F. E., 786
Gypsy moth, 506
Gymnosoma fuliginosa, 910

Hager, Anna, 638
Halowax, 358
Haltica ignita, 98
Harman, S. W., 109, 187, 263
Hartzell, Albert, 153
Hartzell, F. Z., 263
Hawley, I. W., 652
Haydak, M. H., 657
Headlee, T. J., 172, 605
Heat sterilization, 242
Heliothis obsoleta, 615, 647, 815
Helix aspersa, 904
  pisana, 903
Hemileuca oliviae, 917
Hensill, G. S., 942
Herms, W. B., 846
hermsi, Ornithodorus, 849, 853
Hervey, G. E. R., 602, 670
hesperidum, Coccus, 1047
Hessian fly, 249
hiemalis, Platygaster, 249
Hildebrand, E. M., 559
Hinman, F. G., 668
Histiostoma gracilipes, 465
Hixson, Ephriam, 760
Hockenyos, G. L., 468
Hodgkiss, H. E., 509
Hoffman, W. E., 1081
Hoffmann, C. H., 666
Holly scale, 1041
Honey bee, 565, 585, 632, 657
Honeybees, copper sulphate, 559
Honeybees, dysentery, 568
Hornworm, 797
Hoskins, W. M., 924, 942
Host density, 898
Hough, W. S., 614, 1075
House fly, 913
Houser, J. S., 414, 457
Howard, N. F., 250, 444
Hoyer, D. G., 1075
Hoyt, A. S., 505
Huber, L. L., 70, 414
Huckett, H. C., 602
Hutchins, R. E., 833
Hutson, Ray, 388
Hybrid vigor, 1025
hybridus, Necrophorus, 112
Hydrocyanic gas, 975, 1049
Hylemyia antiqua, 70, 453
Hylurgopinus rufipes, 1061
Hyperplatys asperus, 727

idahoensis, Aedes, 834
ignita, Haltica, 98
Illinoia pisi, 1030
immaculata, Scutigerella, 1015
Index, entomological literature, 22
inornata, Culiseta, 786

inornatus, Aedes, 834
Insect Collections, 6
  fauna, 82
  flight trap, 491
  names, 726
insularis, Frankliniella, 856
Interval method, 965
intestinalis, Gasterophilus, 1065
Ips grandicollis, 1021
  pini, 1021

Janes, M. J., 638
Japanese beetle, 126, 154, 507, 535, 656, 728
  beetle traps, 1072
  scale, 393
japonica, Leucaspis, 393
Jefferson, R. N., 182
Jewett, H. H., 697
Jones, H. A., 285, 678
Jones, L. S., 1002
Jones, R. M., 475
Jones, S. E., 650
Journal policy, 18
juglandicola, Chromaphis, 869

kalmii, Lygaeus, 696
Kelley, V. W., 260
King, W. V., 772
Kinsey, A. C., 86
Kitchel, R. L., 924
Knipling, E. F., 472, 1065
Knowlton, G. F., 496, 649, 824, 835, 1073

Laake, E. W., 649
Lac and Indian Lac, 652
Lamiman, J. F., 900
Langford, G. S., 208, 257
Larrimer, W. H., 815
Larson, A. O., 668
lemniscata, Epicauta, 686
Leucaspis japonica, 393
leucopterus, Blissus, 247, 638, 1025
Lewis, H. C., 1011, 1018
Light traps, 834
ligustici, Brachyrhinus, 417, 514
Liming, O. N., 524
Limonius californicus, 817
lineatella, Anarsia, 1002
lintneri, Tyroglyphus, 460, 465
Lipp, J. W., 728
List, G. M., 142, 298, 431
Little, V. A., 707
litura, Prodenia, 499
Locust borer, 392
Loftin, U. C., 745
Lothrop, C. L., 837
ludens, Anastrepha, 512
Lutz, F. E., 253
lycopersicella, Gnorimoschema, 514
Lycophotia margaritosa, 1020
Lygaeus kalmii, 696
Lysiphlebus testaceipes, 65

macellaria, Cochliomyia, 648
Machado, Wm., 103
Mack, G. L., 109
MacLeod, G. F., 150, 192, 1058
Macrocentrus ancylivorus, 204
  delicatus, 244
maculipennis, Plutella, 615
Macrosiphum solanifolia, 436
Madsen, D. E., 835
maidi-radicis, Anuraphis, 756
Mail, G. Allen, 906
Malacosoma americana, 391
  disstria, 391
Mansonia perturbans, 780, 786
Marcovitch, S., 62, 496, 796, 797
margaritosa, Lycophotia, 1020
Marshall, G. Edw., 120, 698
Marshall, James, 960
Mason bee, 729
Mason, H. C., 444
Maughan, F. B., 150
May, Curtis, 138
McAlister, L. C., 675
McCauley, W. E., 410
McConnell, H. S., 208
McDonald, R. E., 745
McMillan, Ellis, 421, 428
McNeel, T. E., 780
Mealybug parasites, 552
Mecom, W. H., 650
megacephala, Pheidole, 1038
megnini, Otobius, 848
melanogaster, Drosophila, 989
Melanoplus sp., 486
Melittia satyriniformis, 229
mellonella, Galleria, 576
Menusan, Henry, 190, 448
Meserve, F. G., 112, 420
Metzger, F. W., 1072
Mexican bean beetle, 147, 444, 629
  fruit fly, 133, 508, 512
  mealy bug, 399
Michelbacher, A. E., 1015
Middleton, Wm., 138
Miller, A. C., 353, 358
Milum, V. G., 576
minutum, Trichogramma, 65, 247, 803, 815
molesta, Grapholitha, 244, 366, 369, 371
molitor, Tenebrio, 925
Montgomery, B. E., 371
monticola, Dendroctonus, 688
Moore, J. B., 436
moubata, Ornithodorus, 846
Morofsky, W. F., 82
Morrison, H. E., 107
Mosquito control, 323, 620, 842, 1022
Mosquitoes, 780, 786, 824, 834

Mothproofing, 495
moultoni, Frankliniella, 857, 1018
Moznette, G. F., 791
multistriatus, Scolytus, 138, 231, 341, 526, 838
multicinctus, Tomostethus, 208
Munger, Francis, 704, 728
Musca domestica, 913
Mushroom pests, 247, 459, 465
Mylabris, *see also* Bruchus
  obtectus, 796
  quadrimaculatus, 796
mytilaspidis, Aphytis, 1044

National Research Council, 2
nebulosa, Pseudiastata, 1039
Necrophorus hybridus, 112
Neiswander, C. R., 405
Neiswander, R. B., 369
Neotetranychus buxi, 55
Neuroterus batatas, 87
Nezara viridula, 686
Nicotine, 162, 220, 469
noctivaga, Nyctobora, 925
Nomenclature, 6
Non-arsenicals, 298
Norris, Dorothy, 652
nubilalis, Pyrausta, 670
Nursery, restricted areas, 545
Nurserymen's license, 532
Nyctobora noctivaga, 925

obsoleta, Heliothis, 615, 647, 815
obtectus, Bruchus, 448
  Mylabris, 796
occidentalis, Euthrips, 856
Oil emulsions, Diesel, 268
  spray effects, 260
Oils in sprays, 933
oleae, Parlatoria, 552
Olive scale, 552
oliviae, Hemileuca, 917
Oncopeltes fasciatus, 696
Onion maggot, 70, 453
  mite, 650
  pollinators, 837
  thrips, 150, 678
Organic insecticides, 211, 310
Oriental fruit moth, 127, 197, 204, 244, 366, 369, 371
Ornithodorus coriaceus, 848, 852
  hermsi, 849, 853
  moubata, 846
  talaje, 848
  turicata, 848
Orr, L. W., 1021
orthogonia, Agrotis, 421, 425
Osburn, M. R., 728
Osmia pellax, 729
Otobius megnini, 848
Ovicidal properties, 353

Pacific mite, 900
  Slope Branch, 841
pacificus, Tetranychus, 900
Package bees, 802
Painter, R. H., 1025
Paleacrita vernata, 392
pallidus, Acerophagus, 552
Palm, C. E., 417, 670
para-alvei, Bacillus, 579
Paraffin wax emulsion, 728
Parafoulbrood, 578
Paratrioza cockerelli, 431
Paris green, 710
Parker, J. R., 314
Parks, T. H., 612
Parlatoria oleae, 552
Parman, D. C., 765
Parrott, P. J., 99
Patton, R. L., 906
Pea aphid, 1030
Peach moth, 182
  sprays, 196
Pearson, A. M., 160
Pea weevil, 668
Pecan case bearer, 791
  tree borer, 393
  weevil, 794
Pectinophora gossypiella, 135, 745
pellax, Osmia, 729
Pepper, B. B., 162
Pepper, J. H., 242
perdens, Andricus, 88
Permanent Fund, 6
Persing, C. O., 933, 971
perturbans, Mansonia, 780, 786
Pest control legislation, 538
Petrobia tritici, 650
Petroleum distillate, 236
phaseoli, Trifidaphis, 756
Pheidole megacephala, 1038
Phenacoccus gossypii, 399, 405
Phenothiazine, 727
Phenyl ethyl alcohol, 1072
Phillips, E. F., 32, 559
Phlyctaenia rubigalis, 803
Phormia regina, 358, 766
Photoelectric method, 76
Phylloxera devastatrix, 681
Pieris rapae, 615
Pineapple mealy bug, 1037
Pine beetle, mountain, 688
  blister rust, 509
  weevil, 393
pini, Ips, 1021
Pink bollworm, 135, 745
pisana, Helix, 903
pisi, Illinoia, 1030
pisorum, Bruchus, 668
Pissodes approximatus, 393
  strobi, 393
  terminalis, 496

Plagiodera versicolora, 393
Plagiotrochus suber, 88
Plant board, central 548
  eastern, 547
  national, 547
  western, 550
Plant quarantine, 514
Platygaster hiemalis, 249
Plutella maculipennis, 615
Polychrosis botrana, 512
Polyflax spinulosa, 305
pomaria, Typhlocyba, 385
pometaria, Alsophila, 391
pomi, Aphis, 382
pomonella, Carpocapsa, 99, 103, 107, 109, 120, 162, 172, 176, 182, 184, 187, 247, 864
  Rhagoletis, 198, 504, 675
Poos, F. W., 1073
Popillia japonica, 154
Population densities, 873
Potato aphids, 436
  leafhopper, 442, 831, 1072
  spraying, 190
  wart disease, 519
Pratt, F. S., 975
Predatory agents, 688
Prodenia litura, 499
Program Committee, 11
Protoparce sexta, 65
prunifoliae, Rhopalosiphum, 381
Pseudaphycus angelicus, 552
Pseudiastata nebulosa, 1039
pseudobrassicae, Aphis, 64
Pseudococcus brevipes, 1037
  citri, 405
Psorophora columbiae, 780
  ferox, 786
Psyllid yellows, 431
punctatus, Andricus, 87
Pyrausta nubilalis, 670
Pyrethrum, 602, 603,
Pyrocatechin, 1074

quadrimaculatus, Mylabris, 796
Quarantine work, 505
quinquefasciatus, Culex, 786

Rainwater, C. F., 755
rapae, Pieris, 615
Rawlins, W. A., 192
Readio, P. A., 341
recurrentis, Spirochaeta, 846
Recurvaria thujaella, 397
Red spider, 1076
Reed, T. W., 109, 263, 379
regina, Phormia, 358, 766
Relapsing fever, 846
Residue solvents, 829
Rhagoletis pomonella, 198, 509, 675
Rhopalosiphum prunifoliae, 381
  sp., 757
Richardson, H. H., 1078
Richardson, R. H., 399
Richmond, R. G., 597
Ries, D. T., 55
Ritcher, P. O., 248, 1056
Roach trap, 1073
Roaf, J. R., 1041
Roark, R. C., 211
robiniae, Cyllene, 392
Robinson, G. M., 777, 802
Rocky Mt. entomologists, 1078
Roney, J. N., 615, 618
rosaceana, Cacoecia, 1047
Rosenfeld, A. H., 500
roseus, Anuraphis, 379
Rotenone plants, 285
Rowe, J. A., 824
rubigalis, Phlyctaenia, 803
rufipes, Hylurgopinus, 1061
rufiscutellaris, Glypta, 371
Rust, H. J., 688

salinarius, Culex, 786
Salman, K. A., 497
Sasscer, E. A., 516
Satin moth, 126
satyriniformis, Melittia, 229
sayii, Chlorochroa, 906
Scheffer, P. M., 248
Schoene, W. J., 182
Scirtothrips citri, 1011
scitula, Synanthedon, 393
Scolytus multistriatus, 138, 231, 341, 526, 833
Screw worm, 472, 648, 765, 772, 777, 835
Scutelleroidea, 1081
Scutigerella immaculata, 1015
Seamans, H. L., 421, 425
Searls, E. M., 304, 831
semiflavidus, Anastatus, 917
setarius, Calomycterus, 833
sexta, Protoparce, 65
Shade tree insects, 390
Shaw, F. R., 837
Sherman, Franklin, 31
Shotwell, R. L., 486
Siegler, E. H., 704, 728
Silicates of soda, 1056
Simanton, W. A., 695
Simuliids, 1073
Simulium bivittatum, 1073
  venator, 1073
  vittatum, 1073
Sleesman, J. P., 70, 453
Smith, C. F., 496
Smith, F. F., 91
Smith, H. S., 873
Smith, L. E., 728
Smith, R. H., 971

Snail control, 903
Snelling, R. O., 1025
Snyder, F. M., 304
Soft brown scale, 1047
solanifolia, Macrosiphum, 436
Solenopsis geminata, 1038
Spanish grape quarantine, 516
Special Committee, 10
speciosus, Glycobius, 392
Sphaerites glabratus, 420
spinulosa, Polyplax, 305
Spirochaeta recurrentis, 846
Spray apparatus, 704
  oils, 715
  residue, 951
Springtails, 247
Squash vine borer, 229
Stage, H. H., 842, 1022
Stamoderes uniformis, 651
Stanley, W. W., 797
Stearns, L. A., 176
Steiner, H. M., 385, 1076
Stockwell, C. W., 535
Stone, M. W., 817
Strand, A. L., 242
Strawberry leaf roller, 388
Strip farming, 62
strobi, Pissodes, 393
Strong, L. A., 139, 514
Sturtevant, A. P., 585
suber, Plagiotrochus, 88
Sugar maple borer, 392
Sulfated alcohols, 257
Sullivan, W. N., 285
Summer oil effects, 1075
Swain, A. F., 975, 983
Sweetman, Leonard, 298
Swingle, H. S., 794
Swingle, M. C., 220
Synanthedon scitula, 393

tabaci, Thrips, 678, 857
tabidus, Trachelus, 457
taeniorhynchus, Aedes, 786
talaje, Ornithodorus, 848
Tar distillate, 263
Tar oils, 263
Tarsonemus mites, 91
Tate, H. D., 472, 837
Tenebrio molitor, 925
terminalis, Pissodes, 496
testaceipes, Lysiphlebus, 65
Tetranychus pacificus, 900
Thiocyanates, 153
Thomas, C. A., 247
Thomas, F. L., 615, 618
Thrip vectors, 856
Thrips tabaci, 678, 857
thujaella, Recurvaria, 297
Tick transmission, 846
Tiger moth, beautiful, 686
Tischler, N., 215, 1074
Toads, auto-camps, 496
Tobacco flea beetle, 628, 797
  hornworm, 65
Tomato pinworm, 514
Tomostethus multicinctus, 208
Trachelus tabidus, 457
Tribolium confusum, 475, 631, 1049
Trichogramma, 898
  minutum, 65, 247, 803, 815
Trifidaphis phaseoli, 756
tritici, Petrobia, 650
Troth, M. S., 698
turicata, Ornithodorus, 848
Turner, Neely, 147
Turnip louse, 64
Typhlocyba pomaria, 385
Tyroglyphus lintneri, 460, 465

ulmi, Ceratostomella, 525, 528
  Graphium, 525
Underhill, G. W., 393
Uranotaenia spp., 780
Utetheisa bella, 686

Vacuum fumigation, 1049
Van Horn, M. C., 98
Vansell, G. H., 1001
venator, Simulium, 1073
vernata, Paleacrita, 392
versicolora, Plagiodera, 393
vexans, Aedes, 786
virginiana, Cracca, 707
viridifasciata, Chortophaga, 925
viridis, Coccus, 283
viridula, Nezara, 686
vittata, Diabrotica, 310
vittatum, Simulium, 1073

Wagner, G. B., 1049
Walker, H. G., 603
Walter, J. M., 138
Wax moth, 576
Weather and codling moth, 956
Webster, R. L., 956
Weed, Alfred, 1075
Wells, R. W., 1065
Wetting agents, 224, 972
Wheeler, C. M., 846
White, W. H., 607
Wilcoxon, Frank, 153
Willow leaf beetle, 393
Willow weevil, 661
Wireworms, 192
Wireworm technique, 817
Woglum, R. S., 1018
woglumi, Aleurocanthus, 513
Woodrow, A. W., 565
Worthley, L. H., 524
Wymore, F. H., 552

xanthomelaena, Galerucella, 393
Xylomyges curialis, 1019

Yothers, M. A., 248
Young, H. D., 459, 1049

Zeisert, E. E., 310